	Application No.	Applicant(s)
·		
Notice of Allowability	10/630,112 Examiner	LI ET AL Art Unit
-		
	William T. Leader	1742
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-20</u> .		
3. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☑ None of the:		
 ☐ Certified copies of the priority documents have been received. ☐ Certified copies of the priority documents have been received in Application No 		
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ⊠ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal Pa	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	''' ' '
2 Information Disclosure Statements (PTO 1440 or PTO/SP/0	Paper No./Mail Date	
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 	8), 7. 🖸 Examiner's Amendm	nenvComment
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. X Examiner's Stateme	nt of Reasons for Allowance
or biological Material	9. Other	
		_ i=

- 1. The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.
- 2. The oath or declaration is defective because neither the declaration filed on November 17, 2003, nor the application data sheet filed on July 30, 2003 includes the post office address and residence of Gou-Lin Luo.

EXAMINER'S AMENDMENT

3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the Specification:

Page 1, before the first paragraph, the following has been inserted: -- This application claims benefit of provisional application 60/445,490 filed on February 6, 2003. --

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The Liang et al patent (5,292,422) is directed to modules for electrodeionization apparatus. The Li et al patent (6,190,528) is directed to helical electrodeionization apparatus and is described in paragraph [0006] of applicant's specification. The Inoue patent (5,593,560) is

Application/Control Number: 10/630,112 Page 3

Art Unit: 1742

directed to a fluid filtering device. As shown in figure 12, for example, electrical contact is made to a filter element using charging spring 16. The Andelman patent is directed to separation apparatus in which electrical contact is made through graphite rods 12atached to spring 11. See figure 4B. The DeKock et al patent (6,787,046) is directed to liquid filtration apparatus. Electrical contact is made using terminal plates 60 and 66. See figure 4.

REASONS FOR ALLOWANCE

5. The following is an examiner's statement of reasons for allowance: Electrodeionization apparatus such as that shown by the Li et al patent and discussed in paragraph [006] of the specification is known. The prior art does not disclose of suggest electrodeionization apparatus which includes an electrode enclosed within an inner side wall of a shell and an electrical contact plate attached along the inner wall, the electrical contact being conductively connected to the electrode to transfer current to the electrode.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William T. Leader whose telephone number is 571-272-1245.

The examiner can normally be reached on Mondays-Thursdays and alternate Fridays, 7:30-4:00.

Application/Control Number: 10/630,112 Page 4

Art Unit: 1742

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy King, can be reached on 571-272-1244. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

William Leader September 28, 2005 ROY KING
SUPERVISORY PATENT EXAMINER
TECHNGLOGY CENTER 1700